

**Syngenta Crop Protection, Inc.**  
**Post Office Box 18300**  
**Greensboro, NC 27419**

**In Case of Emergency, Call**  
**1-800-888-8372**

**1. PRODUCT IDENTIFICATION**

Product Name: **ABOUND FLOWABLE** Product No.: A12705A  
 EPA Signal Word: Caution  
 Active Ingredient(%): Azoxystrobin Technical (22.9%) CAS No.: 131860-33-8  
 Chemical Name: Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate  
 Chemical Class: A beta-methoxyacrylate fungicide  
 EPA Registration Number(s): 100-1098 **Section(s) Revised: 14**

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Propylene Glycol	Not Established	Not Established	50 ppm TWA AIHA WEEL ****	No
Bentonite	15 mg/m <sup>3</sup> TWA (total); 5 mg/m <sup>3</sup> TWA (respirable)	10 mg/m <sup>3</sup> TWA (total); 3 mg/m <sup>3</sup> TWA (respirable)	Not Established	No
Azoxystrobin Technical (22.9%)	Not Established	Not Established	2 mg/m <sup>3</sup> TWA ***	No

\*\*\* Syngenta Occupational Exposure Limit (OEL)

\*\*\*\* Recommended by AIHA (American Industrial Hygiene Association)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

**3. HAZARDS IDENTIFICATION**
Symptoms of Acute Exposure

Harmful if absorbed through skin. May cause eye irritation.

Hazardous Decomposition Products

Can decompose at high temperatures forming toxic gases.

Physical Properties

Appearance: Beige to brown liquid

Odor: Not Available

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

**4. FIRST AID MEASURES**

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an

unconscious person.

- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

#### Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

#### Medical Condition Likely to be Aggravated by Exposure

None known.

## **5. FIRE FIGHTING MEASURES**

### Fire and Explosion

- Flash Point (Test Method): Does not flash
- Flammable Limits (% in Air): Lower: % Not Applicable Upper: % Not Applicable
- Autoignition Temperature: Not Available
- Flammability: Not Applicable

### Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

### In Case of Fire

Use dry chemical, foam or CO<sub>2</sub> extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

## **6. ACCIDENTAL RELEASE MEASURES**

### In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions in Protective Equipment Section. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

## **7. HANDLING AND STORAGE**

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

- Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
- Eye Contact: Where eye contact is likely, use chemical splash goggles.
- Skin Contact: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and

chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.

Inhalation: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below exposure limits. A NIOSH-certified combination air-purifying respirator with an N, P or R 95 or HE class filter and an organic vapor cartridge may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a pressure demand atmosphere-supplying respirator if there is any potential for uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide adequate protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Beige to brown liquid  
Odor: Not Available  
Melting Point: Not Available  
Boiling Point: Not Available  
Specific Gravity/Density: 1.10 g/ml  
pH: 7

### Solubility in H<sub>2</sub>O

Azoxystrobin Technical: 6 mg/l in water @ 68°F (20°C)

### Vapor Pressure

Azoxystrobin Technical: 8.25 x 10<sup>(-13)</sup> mmHg @ 68°F(20°C)

## 10. STABILITY AND REACTIVITY

Stability: Stable under normal use and storage conditions.  
Hazardous Polymerization: Will not occur.  
Conditions to Avoid: None known.  
Materials to Avoid: Oxidizing agents.  
Hazardous Decomposition Products: Can decompose at high temperatures forming toxic gases.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity/Irritation Studies (Finished Product)

Ingestion: Practically Non-Toxic  
Oral (LD50 Rat) : > 5000 mg/kg body weight  
Dermal: Slightly Toxic  
Dermal (LD50 Rat) : > 4,000 mg/kg body weight  
Inhalation: Practically Non-Toxic  
Inhalation (LC50 Rat) : > 6.32 mg/l air - 4 hours  
Eye Contact: Mildly Irritating (Rabbit)  
Skin Contact: Non-Irritating (Rabbit)  
Skin Sensitization: Not a Sensitizer (Guinea Pig)

### Reproductive/Developmental Effects

Azoxystrobin Technical: Shows weak chromosomal damage in mammalian cells at cytotoxic levels. Negative in whole animal assays for chromosomal and DNA damage at high dosages (> or = 2,000 mg/kg). In rabbits, no effect was observed up to the highest dose level (500 mg/kg/day). In rats, developmental effects were seen only at maternally toxic doses (100 mg/kg/day).

### Chronic/Subchronic Toxicity Studies

Azoxystrobin Technical: In a rat 90-day feeding study, liver toxicity was observed at 2,000 ppm. This was manifest as gross distension of the bile duct, increased numbers of lining cells and inflammation of the duct. No toxicologically significant effects were seen in repeat dose dog studies. Data reviews do not indicate any potential for endocrine disruption.

There is no evidence of neurotoxicity in any of the studies conducted with azoxystrobin.

#### Carcinogenicity

Azoxystrobin Technical: No carcinogenic effects observed in rats or mice at doses up to the maximum tolerated dose.

#### Other Toxicity Information

The active ingredient in this formulation is Azoxystrobin Technical. Azoxystrobin Technical administered to pregnant rats even at doses which induced maternal toxicity did not induce birth defects. A study in rabbits using repeated doses showed no effects on the fetus despite the induction of maternal toxicity. The no-observed effect for developmental effects in the rabbit was 500 mg/kg/day. Rat 100 mg/kg/day. A multi-generation reproductive performance study in rats with Azoxystrobin Technical showed no-observed effect at 300 ppm in the diet. This equates to a dose level of 33 mg/kg/day.

#### Toxicity of Other Components

##### Bentonite

Prolonged inhalation of excessive concentrations of dust may lead to lung injury.

##### Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

#### Target Organs

##### Active Ingredients

Azoxystrobin Technical: Liver

##### Inert Ingredients

Bentonite: Respiratory tract

Propylene Glycol: CNS, skin, eye, kidney, liver

## **12. ECOLOGICAL INFORMATION**

#### Summary of Effects

Azoxystrobin Technical:

Highly toxic to fish and invertebrates. Practically non-toxic to birds and bees.

#### Eco-Acute Toxicity

Azoxystrobin Technical: Bees LC50/EC50 >200 ug/bee

Invertebrates (Water Flea) LC50/EC50 0.259 ppm

Fish (Trout) LC50/EC50 0.47 ppm

Fish (Bluegill) LC50/EC50 1.1 ppm

Birds (8-day dietary - Bobwhite Quail) LC50/EC50 > 5,200 ppm

Birds (8-day dietary - Mallard Duck) LC50/EC50 > 5,200 ppm

#### Eco-Chronic Toxicity

Azoxystrobin Technical: Not Available

Technical:

#### Environmental Fate

Azoxystrobin Technical:

No data available for the formulation. The information presented here is for the active ingredient, azoxystrobin. A thorough review of environmental information is not possible in this document.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

## **13. DISPOSAL CONSIDERATIONS**

#### Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state,

and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not listed

**14. TRANSPORT INFORMATION**

DOT Classification

Non-Bulk Containers: Not regulated by DOT.

IBCs (Intermediate Bulk Containers) (Tote Bins):

Environmentally Hazardous Substance, Liquid, N.O.S. (azoxystrobin), 9, UN3082, PGIII, Marine Pollutant

B/L Freight Classification

Fungicides, NOIBN, o/t poison

Comments

International Transportation

Environmentally Hazardous Substance, Liquid, N.O.S. (azoxystrobin), Class 9, UN3082, PGIII, Marine Pollutant

**15. REGULATORY INFORMATION**

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Not Applicable

California Proposition 65

Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ)

None

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

**16. OTHER INFORMATION**

NFPA Hazard Ratings

Health: 1  
Flammability: 1  
Instability: 0

HMIS Hazard Ratings

Health: 1  
Flammability: 1  
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 06/20/2000

Revision Date: 06/25/2003

Replaces: 01/22/2003

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

RSVP# : SCP-955-00330C

End of MSDS