



MATERIAL SAFETY DATA SHEET

Page 1 of 7

Kocide® 2000

Date Prepared: October 21, 2002

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFICATION

Product Name: KOCIDE® 2000

HAZARD CLASSIFICATION (0-minimal, 1-slight, 2-moderate, 3-serious, 4-severe)

NFPA: HEALTH-2 FIRE-1 REACTIVITY-0

HMIS: HEALTH-2 FIRE-1 REACTIVITY-0

MANUFACTURER NAME AND ADDRESS (additional addresses found in Section 16)

Griffin L.L.C.
2509 Rocky Ford Road
P.O. Box 1847
Valdosta, GA 31603-1847

EMERGENCY TELEPHONE NUMBERS (additional numbers found in Section 16)

Griffin L.L.C. (USA): (+1) (800) 237 1854

Prosar: (+1) (888) 324 7598

Chemtec: (+1) (800) 424 9300

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Component Name	% by Wt.	CAS#
Copper Hydroxide	53.8	20427-59-2
Inert Ingredients	46.2	

Metallic Copper Equivalent 35%

Components not precisely identified are proprietary or not hazardous.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

May cause severe irritation with possible reversible corneal opacification. Slightly to non-toxic orally, dermally, and by inhalation. See below for route-specific details.

POTENTIAL HEALTH EFFECTS

Inhalation: Slightly toxic by inhalation. Excessive exposure may cause cough, mucous production, shortness of breath, reflecting metal fume fever.

Eye Irritation: May cause severe irritation with possible reversible corneal opacification.

3. HAZARDS IDENTIFICATION (con't)



MATERIAL SAFETY DATA SHEET

Page 2 of 7

Kocide® 2000

Date Prepared: October 21, 2002

Skin Irritation:	Material is a non-irritant. Excessive exposure, especially if prolonged, may produce skin irritation. Repeated exposure may cause allergic contact dermatitis.
Skin Absorption:	Not a skin absorption hazard.
Ingestion:	Slightly toxic by oral exposure. This material may produce toxicity if ingested in large quantities. Symptoms of over-exposure may include nausea and vomiting, abdominal pain, and central nervous system depression.
Chronic:	Low chronic toxicity unless excessive exposure is encountered. Excessive exposure to copper by inhalation may result in irritation of the upper respiratory tract, which, if severe, may lead to perforation of the nasal septum after long periods of exposure.

4. FIRST AID MEASURES

Inhalation:	Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.
Eye Contact:	Hold eyelids open and flush with water, until no evidence of chemical remains (at least 15-20 minutes). Get medical attention.
Skin Contact:	Remove contaminated clothing and shoes. Wash with plenty of soap and water until no evidence of chemical remains (approximately 15-20 minutes). Get medical attention.
Ingestion:	Drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, large quantities of water. Unless extensive vomiting has occurred, empty the stomach by gastric lavage with water, milk, sodium bicarbonate solution of a 0.1% solution of potassium ferrocyanide. (Gosselin, Clinical Toxicology of Commercial Products, 5th Ed.) Administration of gastric lavage should be performed only by qualified medical personnel. Probable mucosal damage may contraindicate use of gastric lavage.

5. FIRE FIGHTING MEASURES

Flash Point & Method:	Not determined
Flammable Limits:	Not determined
Autoignition Temperature:	Not determined

5. FIRE FIGHTING MEASURES (con't)

FIRE FIGHTING HAZARDS & PROCEDURES

General Hazard:	Negligible fire hazard when exposed to heat or flame.
Extinguishing Media:	Use dry chemical, carbon dioxide, water spray, or foam.



MATERIAL SAFETY DATA SHEET

Page 3 of 7

Kocide® 2000

Date Prepared: October 21, 2002

Fire Fighting Equipment:	Wear protective clothing and self-contained breathing apparatus.
Hazardous Combustion Products:	Decomposes to CuO and H ₂ O above 140 °C.

6. ACCIDENTAL RELEASE MEASURES

Land Spill:	Sweep up and place in suitable (fiberboard) containers for later disposal.
Water Spill:	If feasible, copper may be precipitated/ultrafiltrated with caustics or other chemicals and resulting sludge disposed of in a chemical landfill.

7. HANDLING AND STORAGE

Storage Temperature:	Store below 35 °C (95 °F). Average shelf life under proper storage conditions is 2 years.
General Information:	Store in a clean, dry area. Do not store near feed, food or within the reach of children.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

PESTICIDE APPLICATORS & WORKERS

These workers must refer to the Product Label and Directions For Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170.

MANUFACTURING, COMMERCIAL BLENDING, & PACKAGING WORKERS

Ventilation:	Control enclosed spaces with adequate ventilation to prevent exceedance of ACGIH TLV or OSHA PEL.
Respiratory Protection:	In enclosed spaces where the TLV or PEL may be exceeded, wear NIOSH/MSHA approved dust or mist respirator.
Eye Protection:	Wear protective eyewear to prevent contact with this substance.
Protective Clothing:	Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves, shoes plus socks.

9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure:	Not determined
Density:	1.0417 g/mL
Solubility in Water:	2.9 mg/L (copper hydroxide)
pH (1% dispersion in water):	8.61
Boiling Point:	Not determined



MATERIAL SAFETY DATA SHEET

Page 4 of 7

Kocide® 2000

Date Prepared: October 21, 2002

Melting Point:	Decomposes at >140 °C.
Viscosity:	Not determined
Odor:	Not determined
Color:	Medium blue
Physical State:	Granulated solid

10. STABILITY AND REACTIVITY

General:	This material is stable under normal conditions.
Incompatible Materials:	None known.
Hazardous Decomposition:	Decomposes to CuO and H ₂ O above 140 °C.
Hazardous Polymerization:	Material is not known to polymerize.

11. TOXICOLOGICAL INFORMATION

ACUTE

Inhalation:	Acute inhalation LC ₅₀ = 1.3 mg/L (rat - 4 hour). May cause irritation of the mucous membranes. Exposure to copper fumes may result in metallic taste, nausea, vomiting, and metal fume fever with chills, fever, aching muscles, dry throat and headache.
Eye Irritation:	May cause severe irritation with possible reversible corneal opacification.
Skin Irritation:	Considered a non-irritant to the skin of a rabbit. Many copper salts cause itching, eczema and, rarely, sensitization reactions in previously exposed persons.
Skin Absorption:	Acute dermal LD ₅₀ > 5,000 mg/kg. This product is slightly toxic by dermal exposure.
Ingestion:	Oral LD ₅₀ = 1,346 mg/kg. Ingestion of large doses of copper salts may result progressively in irritation of the gastrointestinal tract, nausea, vomiting, salivation, gastric pain, hemorrhagic gastritis, diarrhea, capillary damage, liver and kidney damage, and central nervous system stimulation followed by depression. Jaundice, pain in the liver, and hemolytic anemia have been reported following acute human poisonings.

11. TOXICOLOGICAL INFORMATION (con't)

CHRONIC:	Repeated ingestion of copper salts may result in anemia, liver, and kidney damage. Chronic inhalation exposure may cause a metallic taste in the mouth, irritation of the upper respiratory tract such as the nasal mucosa that may progress to perforation of the nasal septum. Chronic cough may also occur. Copper hydroxide, which comprises 53.8% of this product, governs the
----------	---



MATERIAL SAFETY DATA SHEET

Kocide® 2000

Date Prepared: October 21, 2002

toxicity of the product. The remaining components have low to negligible toxicity.

Special Health Effects: Copper-intolerant individuals should not be exposed to this material. No additional information is available on whether overexposure to this material would aggravate other existing special medical conditions.

12. ECOLOGICAL INFORMATION

Chemical Fate: The degree of mobility of copper in the environment depends upon the pH of ambient soils and waters. The higher the acidity, the more soluble copper salts are and, hence, the more mobile. Partitioning of copper into air is negligible due to the low vapor pressure of copper salts.

ECOTOXICITY (copper hydroxide)

Test Type	Species	Value
Aquatic LC ₅₀	Bluegill	180,000 ppb
Aquatic LC ₅₀ (96 hr)	Fathead Minnow	23 ppb
Aquatic LC ₅₀	Rainbow Trout	23 ppb
Aquatic EC ₅₀	<i>Daphnia magna</i>	6.5 ppb
Avian - acute oral LD ₅₀	Bobwhite Quail	>340 mg/kg
Avian - 8-day dietary LD ₅₀	Bobwhite Quail	>10,000 ppm
Avian - 8-day dietary LD ₅₀	Mallard Duck	>10,000 ppm

13. DISPOSAL CONSIDERATIONS

Comply with appropriate disposal regulations. Landfill solids at permitted sites. Use registered transporters.

14. TRANSPORT INFORMATION

Department of Transportation (DOT):	Not Regulated
International Air Transport Association (IATA):	Not Regulated
International Maritime Organization (IMO):	Not Regulated

Note: Inhalation data generated using a smaller particle size than is reasonably foreseeable to be encountered by a human during transport. Since less than 10% of this substance is dust in a respirable range, this material is not regulated for transport per DOT 49 CFR 173.132 (b) (3), IATA 3.6.3.3, IMO IV / 6.1 / 2.2.3, RID / ADR 2600 / 2.5.



MATERIAL SAFETY DATA SHEET

Page 6 of 7

Kocide® 2000

Date Prepared: October 21, 2002

Regulated for transportation in Europe (ADR):

Proper Shipping Name:	Environmentally Hazardous Substance, Solid, N.O.S. (Cupric Hydroxide)
Class:	9
Identification Number:	UN 3077
Packing Group:	III
	Marine Pollutant

15. REGULATORY INFORMATION

OSHA: This product is considered hazardous under the OSHA Hazardous Communication Standard 29 CFR §1910.1200.

TSCA: All product components are on the TSCA Chemical inventory.

CERCLA: Reportable quantity under CERCLA is 5000 lbs. for copper (CAS No. 7440-50-8). No reportable quantities found for copper-containing pesticide (CAS No. 10290-12-7) or copper hydroxide (CAS No. 20427-59-2). No reportable quantities found for other components of this product.

RCRA: When a decision is made to discard this material as supplied, it does not meet RCRA's characteristic definition of ignitability, corrosivity, or reactivity, and is not listed in 40 CFR §261.33.

SARA TITLE III

311/312 Hazard Categories: This product has been reviewed according to the EPA "Hazard Categories" and is categorized as an acute health hazard (40 CFR 370.41).

313 Reportable Ingredients: This product contains a percentage of metallic copper (CAS No. 7440-50-8), which is listed in Section 313 above de minimis concentrations (40 CFR §372).

15. REGULATORY INFORMATION (con't)

STATE REGULATIONS

California: Listed under copper (CAS No. 7440-50-8) with footnotes referencing above federal standards.

New Jersey: Footnotes reference above federal standards plus listing of copper on the New Jersey Environmental Hazardous Substances List (NJ Department of Environmental Protection, Title 7 New Jersey Administrative Code (NJAC) Chapter 1G).

Massachusetts: Listed as copper (CAS No. 7440-50-8) and copper-based pesticide, solid, toxic (no CAS No. assigned).



MATERIAL SAFETY DATA SHEET

Page 7 of 7

Kocide® 2000

Date Prepared: October 21, 2002

Pennsylvania: Listed as copper fume or dust (CAS No. 7440-50-8) as an environmental hazard.

16. OTHER INFORMATION

REVISION SUMMARY

This Material Safety Data Sheet replaces the one dated 12/18/01, and has been revised using the standard Griffin ANSI Z400.1 compliant format. Revisions have been made in Sections 3, 4, 9, and 16.

KOCIDE® is a registered trademark of Griffin Corporation.

GRIFFIN L.L.C. ADDRESSES:

Griffin (Europe) S.A.
c/o Minervastraat 8
B-1930 Zaventem
Belgium

011 32 2 720 6644

Griffin FE (Malaysia) S/B
P.O. Box 6506
18 Jalan Persiaran Barat
46050 Petaling Jaya
Malaysia

011 60 3 7957 4773

Griffin do Brazil
Av. Selma Parada, 201
Galeria Office Park, Bloco II, Salas 211/234
13091-901 Campinas-SP

011 55 19 3 207 0100

Griffin Australia PTY Ltd.
18 Manning Street
Milton QLD 4064
Australia
011 61 7 3369 5400

Griffin de Colombia S.A.
Bogota Office
Calle 114 #9-01 Torre A Piso 14
Bogota, Colombia
011 57 1 629 2383/2202

The information in this Material Safety Data Sheet relates to this specific material. It may not be valid for this material if used in combination with any other materials or in any process. It is the users' responsibility to satisfy themselves as to the suitability and completeness of this information for their own particular use.